

NEW:
Hire a trailer/machine package and lower your costs.
For multi-site work or when the machine can't be stored on site.
See Page 21 for suitable machines.

THE COUNTRY'S **LEADING**
INDEPENDENT POWERED
ACCESS PROVIDER

 **ACCESS ALLIANCE**



THE POWER IN ACCESS™

INDEX

GTA Advantage™
Extras to make life easier

GTA Secure™
Putting you in control

Training Courses
Working at height training

Alternatives to Hire
Contract rental, lease or purchase

MyGTA Online
Remote signing for platform deliveries

Platform Selection Guide
Overview of our complete range

Push Around Verticals
3.5 to 11.7 metre working height

Electric Scissor Lifts
5.6 to 22 metre working height

Pages		Pages
2	Diesel Scissor Lifts 9.92 to 22 metre working height	13
3-4	Electric Articulated Booms 10 to 22 metre working height	14-15
5	Bi-Energy Articulated Booms 12.2 to 28 metre working height	16
6	Diesel Articulated Booms 11.91 to 43.15 metre working height	17-18
7	Diesel Telescopic Booms 21.77 to 40.15 metre working height	19
8	Trailer Mounted Booms 12.2 to 17.1 metre working height	20
9	Machine & Trailer Package Drive away with your machine today	21
10	Truck Mounted Booms 19.9 to 48 metre working height	22
11-12	Specialist Platforms 15.4 to 25.7 metre working height	23

GTAAccess has one of the most up-to-date hire fleets currently available for rental, and are one of the largest privately owned access companies in the UK.

We currently operate over 70 categories of platforms, giving us the ability to offer the safest and most cost-effective solution for your working at height requirements.

Whether your requirements are for the hire or outright purchase of a powered access platform, training or service plans, we have the expertise to be able to fulfil your individual needs.

We deliver direct to site using our own modern transportation fleet that includes articulated and fixed-bed lorries, which is backed up by 4x4 vehicles and trailers for a cost effective and speedy service.

Based from our head office in Bromsgrove with strategic depots in Brentwood, Bridgend, Bromsgrove, Gloucester, Hailsham, Hereford, London, Luton, NEC, Peterborough, Shrewsbury and Stoke-on-Trent, GTAAccess can offer you national coverage with a local service.

All our drivers are IPAF-certified demonstrators who can provide on site support and all vehicles are tracked so precise delivery times can be promised, and more importantly, achieved.

We take our responsibility for sustainability and energy efficiency seriously and believe the approach we are taking will ensure that the hire of a powered access machine from us will not only be easy and cost effective, but also safer, more efficient and will come at less of a cost to the environment. We are using technology to reduce our waste, improve the working environment for our employees, increase efficiency when dealing with customers and manage our operations.



IT'S THE **LITTLE EXTRAS** THAT GIVE YOU THE **GTAdvantage™**

At GTAccess, we put a lot of thought in to getting everything right for our customers. From providing free site surveys to making sure that all our machines are modern, well maintained and always inspected prior to delivery. Alongside our powered access hire, we also offer a range of additional products and services designed to enable you to get the job done. It's the little extras that can make all the difference and provide you with the 'GTAdvantage™'

- ✓ Training Courses
- ✓ Charging Leads and Transformers
- ✓ Fuel Box
- ✓ Safety Harnesses
- ✓ Ground Guards
- ✓ Outrigger Pads
- ✓ Wheel Covers
- ✓ Pipe Racks
- ✓ GTA Secure™
- ✓ GTA All Risk

Find out more about how you can get the **GTAdvantage™** on page 4 or by visiting gtaccess.co.uk

HELPING YOU TO GET THE JOB DONE!


Whether you need to protect finished floors from damage, require training or a safety harness to enable you to use a boom lift safely and legally or simply want to control who has access to use the machine and where they can use it, we can give you the GTAdvantage™.

Find out more at gtaccess.co.uk




CHARGING LEADS & TRANSFORMERS

All electric powered access machines require charging with a suitable charging lead and 110v transformer. These are available for hire or purchase and can be delivered for free with your access platform – guaranteeing that you won't run out of power.



SPREAD THE LOAD WITH OUTRIGGER PADS



GTA SECURE™

See page 5 for more details

GTA Secure™ is a simple and effective system for Tracking, Geo-fencing and Access Control for the powered access equipment you have on hire with GTAccess. Machine location can be tracked and monitored precisely in real-time. View all your hired access platforms anytime, anywhere.



PROTECTION FOR FINISHED SURFACES

Wheel covers are ideal for both indoor and outdoor use when you need to protect a finished floor surface from unsightly black marks caused by the tyres of a machine. These can be purchased and supplied with your hire machine and are particularly useful when non-marking tyres are not an option. Wheel covers are simple to fit and can be reused multiple times.



PROTECTION FOR SENSITIVE AREAS

These tough, lightweight 'Ground Guards' provide essential temporary access and ground protection on soft or sensitive ground. They can remove the need for costly reinstatement once the project is complete. They're fast and easy to install and can support loads up to 80 tonnes. Ground Guards can be hired and delivered for free with your access platform.



TRAINING COURSES

See page 6 for more details

We specialise in training and safety courses for those working at height. With over 40 years experience in powered access, GTAccess are able to offer a comprehensive range of courses and can recommend which course best suits your individual requirements.



PLATFORM ACCESSORIES

For those times when another pair of hands would come in handy, we have a range of platform accessories such as pipe racks and material holders available for hire alongside certain platforms.

Contact GTAccess for details of all the accessories that we have available.



SAFETY EQUIPMENT FOR WORKING AT HEIGHT

Both IPAF and the HSE recommend a full body harness with an adjustable lanyard is worn whenever operating any form of boom lift (1b, 3b). The correct type of harness can be purchased from GTAccess and delivered for free with your machine or picked up from your local GTAccess depot. Don't forget, we can also carry out the recommended annual harness inspections.

We also have a range of other safety equipment available such as multi-impact helmets and lanyards. See the website for more information.



THE EASIER WAY TO REFUEL ON SITE



COVER IN CASE OF LOSS OR DAMAGE

Access platforms are expensive pieces of equipment to replace and repair. To remove the risk for customers, we offer GTA All Risk cover (loss and damage at 20% of hire charge) or GTA Damage Waiver (accidental damage at 10% of hire charge). Details can be found on our website.

Rental agreements are under the model terms and conditions of the Construction Plant Association. Under the terms the hirer is responsible for all damage repair and losses to the hire equipment. Please note that GTA All Risk will automatically be added unless a valid copy of your 'hired in plant' insurance has been provided.



£750 CONTROL BOX
£900 JIB ARM
£2,250 BASKET
£1,850 CANOPIES
£600 PLUS BATTERIES



GTA SECURE™

GIVES **YOU** TOTAL CONTROL OF YOUR HIRE MACHINES



Stop nuisance borrowing with GTA Secure™ and stay in control of your hired in platforms

GTA Secure™ is a simple and effective system that stops unauthorised use of powered access equipment, improving security and increasing control.


- Access to the machine is securely controlled either by a unique pin code, GTA SmartID or IPAF card.
- The perfect solution on sites where a number of contractors working in close proximity could give rise to 'nuisance borrowing'.
- Safety is improved by only allowing access to individuals that are trained and authorised to use the equipment.
- Real time monitoring of machine location and status including start time, finish time and usage can all be monitored.

GTA Secure provides tracking, geo-fencing and access control for the machines you have on hire. It allows you to see realtime machine location and status remotely via a smartphone, tablet or computer. Start time, finish time and usage during any period can all be monitored.

Gain full control over who accesses the machines you have on hire via your MyGTA™ account. Provide access only to trained operators and reduce the risk of accidents. You can enable and disable access to individual users and machines quickly and simply.

GTA Secure also gives you the ability to set accepted and no-go zones and receive immediate alerts should the machine enter or leave those areas, automatically shutting down the equipment should it be used outside of a specified area.

'You can now control access with an IPAF Card'



Find out more at gtaccess.co.uk

0 3 3 0 3 3 3 4 8 4 8

GET TRAINED BY THE ACCESS SPECIALISTS

With over 40 years experience in Powered Access, GtAccess are able to offer a comprehensive range of working at height and health and safety courses, and can recommend which course best suits your individual requirements. Training can be undertaken at any one of our 10 training centres, your offices, or on site in certain circumstances. Evening and weekend courses are also available upon request.

IPAF OPERATOR TRAINING

Our IPAF E-Learning operator course offers standard training but with the theory section of the course online, reducing the time spent at our training centre to around half a day. You will need access to either a computer or smartphone/tablet.

Our IPAF courses instruct how to prepare and safely use various types of access platforms:

- 3a** Self-propelled scissor lifts and vertical platforms (able to drive lowered or elevated for most applications)
- 3b** Self-propelled boom lifts (able to drive lowered or elevated for most applications)
- 1b** Static boom access platform (unable to move elevated, requires outriggers).
- PAV** Push Around Verticals

Our IPAF classroom-based training course is available at one of 10 IPAF training locations if required.

IPAF MEWPS FOR MANAGERS

This E-Learning course covers what managers need to know about using MEWPs on site, from planning and risk assessment, to selecting the right equipment, Health & Safety regulations, PPE etc.

IPAF HARNESS TRAINING

This half-day course instructs a user to select, inspect and use a harness and associated equipment safely when using a MEWP.

IPAF LOADING & UNLOADING TRAINING

This IPAF's Safe Loading & Unloading one day course examines how loading and unloading accidents occur and critically, how to prevent them to ensure safe and effective best practice.

PASMA LOW LEVEL TOWER

A half day course for users of low level access equipment (< 2.5m) made from prefabricated tower components, such as podium folding step units and folding tower units.



PASMA TOWERS FOR USERS

This E-Learning course demonstrate how to safely assemble, dismantle, relocate and alter a mobile access tower without risk of personal injury to yourself or others.

Health & Safety ABRASIVE WHEELS

This half-day course covers how to Label, Store, Handle and Transport Abrasive Wheels together with sound mounting techniques. Complies with the requirements of the Provision and Use of Work Equipment Regulations 1998.

Health & Safety EMERGENCY FIRST AID AT WORK

A one-day course providing the knowledge and practical skills to help you become a confident first aider in your workplace, covering a range of first aid emergency scenarios. We can also offer training on the correct and safe use of Automated External Defibrillators (AEDs) upon request. Can qualify for 7 hours CPC.

REMEMBER: "It is the employers responsibility to ensure that all employees are given adequate training for the task in hand"



IPAF MEWP OPERATOR RENEWAL TRAINING COURSE NOW AVAILABLE USING VIRTUAL REALITY MEWP SIMULATOR

Our Virtual Reality IPAF MEWP Operator RENEWAL Training Course is offered for the practical element of your training in conjunction with e-learning for the theory section.

This course is only for those individuals who have an in-date PAL Card due for renewal of an existing in-date IPAF card and if the operator has sufficient experience. The advantage to candidates includes a shorter training session, which can be as low as one-hour, saving you valuable time away from work.



Call or book online at gtaccess.co.uk

PURCHASE, CONTRACT RENTAL, HIRE PURCHASE OUR FLEXIBLE ALTERNATIVES TO HIRING

GTAccess have one of the most up-to-date hire fleets currently available for rental. However, sometimes other options may prove to be more cost effective – such as Outright Purchase, Hire Purchase, Contract Hire or Finance Lease plans. Whichever option you choose, our support won't stop once we've delivered your equipment; we'll continue to support you with Breakdown Cover, Service Plans, and Training to ensure that your new platform will operate well into the future.

NEW AND USED EQUIPMENT SALES

As an independent distributor we are not tied to any particular manufacturer and therefore we are able to offer you the most suitable platform for your requirements.

We supply all manner of new and used powered access platforms including self-propelled scissor lifts, self-propelled boom lifts, trailer mounted towable units, mast booms and a whole variety of specialist access platforms, so you can be assured that we will have a unit to match your specification and budget.

GET ALL THE BENEFITS WITHOUT THE UPFRONT CAPITAL OUTLAY

If you need an access platform on a more permanent basis our long term Contract Hire packages may be the perfect solution, reducing your weekly hire charges to a simple monthly fixed cost which may also include tax and accounting benefits.

CONTRACT HIRE

Our Contract Hire is designed to be simple, straightforward and cost effective – with off balance sheet funding, no upfront capital outlay and some or all of the rental charge offset against taxable profits. We also include a GTA Platinum service plan as part of all contract hire agreements helping companies to comply fully with working at height regulations.

HIRE PURCHASE

Our Hire Purchase agreement will allow you to purchase a brand new powered access platform without the typical capital expenditure for a fixed monthly cost. We can also include a GTA Service plan as part of the finance agreement ensuring your investment continues to operate well into the future.



NEED A SERVICE OR LOLER?

With over 40 years experience with powered access platforms, there is very little that we have never worked on. Our service engineers aim for a quick response and are dedicated to getting you up and running in the shortest possible time.

We offer Breakdown Cover and Service Plans on any make and model of platform of any age, even if you didn't purchase the machine from GTAccess.

PLATINUM^{†2}

As Gold plus weekend breakdown call-outs and all parts used

GOLD^{†1}

As Silver plus weekday breakdown call-outs

SILVER+

As Bronze plus two services per year, including consumable parts and labour

SILVER

As Bronze plus one services per year, including consumable parts and labour

BRONZE

Covers your two statutory LOLER* inspections per year

GTA SERVICE PLANS

GTAccess offers five individually tailored service plans. These are available on any manufacturers machine of any age, though an initial chargeable inspection may be required if the unit is not currently under a GTAccess service plan.

All our depots have dedicated mobile service engineers who are backed up with a comprehensive stock of parts allowing us to aim for a first fix repair every time the need arises. Cover is available 7 days a week if needed.

*HSE Lifting Operations and Lifting Equipment Regulations 1998 (LOLER). It is a legal requirement that all access platforms are fit for purpose, appropriate for the task, suitably marked and subject to a statutory 6 month 'thorough examination'.

†1 Limited to 4 call-outs per annum. Service plan excludes accidental damage, misuse or neglect.
†2 Unlimited call-outs. Service plan excludes accidental damage, misuse or neglect.

Visit gtaccess.co.uk for more information




0 3 3 0 3 3 3 4 8 4 8

TAKE CONTROL OF YOUR ACCOUNT ONLINE WITH MyGTA™


With an online MyGTA™ account, you can manage your powered access hires anytime, anywhere, at your convenience.

Getting equipment when and where you need it does not have to be time consuming, costly, or stressful. GTAccess can help you get the right aerial work platforms easily with a simple tap or click. With a 'MyGTA' account you can order online and manage your access platform hire anytime, anywhere, at your convenience and not ours.


Create multiple user logins per account with manageable access rights for added flexibility.




SEE WHAT'S ON HIRE
See all your current, previous and not yet delivered machine hires.



MANAGE YOUR ACCOUNT
See your account status, view invoices and statements.



MULTIPLE USER LOGINS
Create multiple user logins on your account with manageable access rights for each individual.



ONE-CLICK OFF-HIRES
Off-hire and report breakdowns quickly with a simple click or tap.

Sign up for your free 'MyGTA™' online account* today by scanning the QR code.



Find out more at gtaccess.co.uk

0 3 3 0 3 3 3 4 8 4 8


*You will need a GTA Credit Account to be able to access your MyGTA online account.

GUIDE TO SELECTING THE CORRECT POWERED ACCESS PLATFORM

The GTA Platform Selector is designed to help you choose the correct access platform for your needs. Each section is conveniently separated by product type and machines are arranged in order of ascending height.

The working envelope and feature icons provide a quick visual reference to assist you with your equipment selection. If you cannot find exactly what you're looking for, or require further information call 0330 333 4848 and speak to one of our trained staff. Don't forget, we offer free site surveys so there's no need to worry about whether you've ordered the correct machine or not.

Height in Metres



FEATURE ICONS

- BATTERY POWER**
These machines are perfect for indoor applications.
- DIESEL POWER**
These machines are perfect for external applications.
- HYBRID POWER**
These machines provide flexibility for switching between indoor and outdoor applications.
- 240V MAINS/DIESEL**
240v mains power and diesel engine for travel.
- 110V MAINS/DIESEL**
110v 3kva constant mains power and diesel engine for travel.
- EXTENDING AXLES**
Axles can be retracted for transportation and extended for use.
- 1b IPAF**
Static boom access platform (unable to move elevated, requires outriggers).
- 3a IPAF**
Self-propelled scissor lifts and vertical platforms (able to drive lowered or elevated for most applications).
- 3b IPAF**
Self-propelled boom lifts (able to drive lowered or elevated for most applications).
- IPAF LOADING**
Loading and unloading should be carried out by trained and competent staff who are aware of the risks involved.
- THINK GREEN**
Making environmentally responsible decisions, to contribute to a decrease in our global carbon footprint.
- SELF-DRIVE**
Can be driven on a standard license.
- OUTDOOR RATED**
These machines are suitable for outdoor use. The actual wind rating will be shown on the machine.
- NON MARKING TYRES**
Prevents marking to finished floors from black tyres.
- ROUGH TERRAIN**
These machines are perfect for rough terrain applications where 4 wheel drive allows travel across uneven ground.
- TRACKS FITTED**
These machines are perfect for rough terrain applications or where low ground pressure is required.
- STABILISERS FITTED**
These machines are fitted with stabilisers or outriggers to level the machine on uneven ground ready for use.
- TRANSFORMER**
A charging lead and 110v transformer is required and can be hired or purchased and delivered with your equipment.
- EXTRA CAPACITY**
These machines have increased lift capacity allowing for more personnel and/or equipment to be carried in the basket.
- GTA SECURE AVAILABLE**
GTA Secure gives you ultimate control by preventing unauthorised use, Geofencing and providing usage reports.
- HARNES RECOMMENDED**
IPAF and the HSE both recommend that a full body harness is worn whenever operating any form of boom lift.
- UNPOWERED**
These machines feature hand-wind system, no on-board batteries or power.
- FUELBOX COMPATIBLE**
Suitable for use with Fuel boxes. 20 litres of gas oil in a UN approved bag in a box system. Delivered with your hire machine.
- OPERATOR SUPPLIED**
A trained IPAF operator supplied with these machines.

PAV SCISSORS BOOMS TRAILERS TRUCKS SPECIALISTS




PUSH AROUND VERTICALS

Eco-friendly, small footprint, our push-around scissors and mast lifts available with either an unpowered manual rise or an electric powered rise. Easy to manoeuvre and will fit through most standard doorways or in small passenger lifts.

BEST FOR: Hospitals, schools, airports, shopping centres, retail outlets, offices etc...


PECO LIFT

REACH HEIGHT	3.5 m	11' 6"
PLATFORM HEIGHT	1.5 m	4' 11"
STOWED HEIGHT*	1.55 m	5' 1"
LENGTH	0.99 m	3' 3"
WIDTH	0.7 m	2' 4"
PLATFORM SIZE	0.6 x 0.72 m	2' 0" x 2' 4"
EXTENDED SIZE	n/a	n/a
WEIGHT	180 kg	397 lb
LIFTING CAPACITY	150 kg	331 lb




ECO LIFT

REACH HEIGHT	4.2 m	13' 9"
PLATFORM HEIGHT	2.2 m	7' 3"
STOWED HEIGHT*	1.95 m	6' 5"
LENGTH	1.28 m	4' 2"
WIDTH	0.74 m	2' 5"
PLATFORM SIZE	0.85 x 0.64 m	2' 9" x 2' 1"
EXTENDED SIZE	n/a	n/a
WEIGHT	305 kg	672 lb
LIFTING CAPACITY	150 kg	331 lb




NANO LIFT

REACH HEIGHT	4.25 m	13' 11"
PLATFORM HEIGHT	2.5 m	5' 1"
STOWED HEIGHT*	1.56 m	5' 6"
LENGTH	1.19 m	3' 11"
WIDTH	0.75 m	2' 6"
PLATFORM SIZE	1.0 x 0.73 m	3' 3" x 2' 5"
EXTENDED SIZE	n/a	n/a
WEIGHT	285 kg	628 lb
LIFTING CAPACITY	200 kg	441 lb




S3010P

REACH HEIGHT	5 m	16' 5"
PLATFORM HEIGHT	3 m	9' 10"
STOWED HEIGHT*	1.8 m	5' 11"
LENGTH	1.2 m	3' 11"
WIDTH	0.75 m	2' 6"
PLATFORM SIZE	1.12 x 0.52 m	3' 8" x 1' 8"
EXTENDED SIZE	n/a	n/a
WEIGHT	370 kg	816 lb
LIFTING CAPACITY	240 kg	529 lb



UL32 MAST LIFT

REACH HEIGHT	11.7 m	38' 5"
PLATFORM HEIGHT	9.7 m	31' 10"
STOWED HEIGHT*	2.51 m	8' 3"
LENGTH	1.32 m	4' 4"
WIDTH	0.74 m	2' 5"
PLATFORM SIZE	0.66 x 0.56 m	2' 2" x 1' 10"
EXTENDED SIZE	n/a	n/a
WEIGHT	465 kg	1,025 lb
LIFTING CAPACITY	136 kg	300 lb



UNPOWERED SIMPLICITY

Our Peco and Eco lifts are a game-changer in power-free access. It is simple and intuitive to operate. An easy-to-use handle allows the operator to elevate the lift mechanism to the desired height. These machines can be used 24/7 without pausing the job at hand.

LOW NOISE

Electric machines are low-noise machines, which is a key consideration when working in built-up areas or in sensitive environments.



REQUEST A FREE SITE SURVEY

Call your local GTA depot today.

For more information visit gtaccess.co.uk

*Stowed height shown is with the handrails folded.





ELECTRIC SCISSOR LIFTS

Perfect for use in narrow internal applications where a straight vertical lift is required. Some machines are outdoor-rated and can be used externally from a solid and level surface in certain circumstances.

BEST FOR: Indoor maintenance, electrical work, stocktaking, painting, HVAC etc...

DL0607

REACH HEIGHT	5.6 m	18' 4"
PLATFORM HEIGHT	3.6 m	11' 10"
STOWED HEIGHT*	1.67 m	5' 6"
LENGTH	1.44 m	4' 9"
WIDTH	0.76 m	2' 6"
PLATFORM SIZE	1.15 x 0.7 m	3' 9" x 2' 4"
EXTENDED SIZE	1.7 x 0.7 m	5' 7" x 2' 4"
WEIGHT	880 kg	1,940 lb
LIFTING CAPACITY	240 kg	529 lb

ES1530L

REACH HEIGHT	6.5 m	21' 4"
PLATFORM HEIGHT	4.5 m	14' 9"
STOWED HEIGHT*	1.9 m	6' 3"
LENGTH	1.4 m	4' 7"
WIDTH	0.76 m	2' 6"
PLATFORM SIZE	1.3 x 0.6 m	4' 3" x 2' 0"
EXTENDED SIZE	1.85 x 0.6 m	6' 1" x 2' 0"
WEIGHT	880 kg	1,940 lb
LIFTING CAPACITY	227 kg	500 lb

SJ16

REACH HEIGHT	6.75 m	22' 2"
PLATFORM HEIGHT	4.45 m	15' 7"
STOWED HEIGHT*	1.79 m	5' 10"
LENGTH	1.37 m	4' 6"
WIDTH	0.77 m	2' 6"
PLATFORM SIZE	0.93 x 0.69 m	3' 1" x 2' 3"
EXTENDED SIZE	n/a	n/a
WEIGHT	966 kg	2,130 lb
LIFTING CAPACITY	227 kg	500 lb

DL0708

REACH HEIGHT	7.5 m	24' 7"
PLATFORM HEIGHT	5.5 m	18' 1"
STOWED HEIGHT*	1.76 m	5' 9"
LENGTH	1.52 m	5' 0"
WIDTH	0.81 m	2' 8"
PLATFORM SIZE	1.37 x 0.7 m	4' 6" x 2' 4"
EXTENDED SIZE	1.97 x 0.7 m	6' 6" x 2' 4"
WEIGHT	1,200 kg	2,646 lb
LIFTING CAPACITY	230 kg	507 lb

S1930E

REACH HEIGHT	7.8 m	25' 7"
PLATFORM HEIGHT	5.8 m	19' 0"
STOWED HEIGHT*	1.86 m	6' 1"
LENGTH	1.78 m	5' 10"
WIDTH	0.76 m	2' 6"
PLATFORM SIZE	1.64 x 0.76 m	5' 5" x 2' 6"
EXTENDED SIZE	2.54 x 0.76 m	8' 4" x 2' 6"
WEIGHT	1,526 kg	3,364 lb
LIFTING CAPACITY	230 kg	507 lb

SJ3226

REACH HEIGHT	9.92 m	32' 7"
PLATFORM HEIGHT	7.92 m	26' 0"
STOWED HEIGHT*	1.91 m	6' 3"
LENGTH	2.32 m	7' 7"
WIDTH	0.84 m	2' 4"
PLATFORM SIZE	2.13 x 0.71 m	7' 0" x 2' 4"
EXTENDED SIZE	3.04 x 0.71 m	10' 0" x 2' 4"
WEIGHT	1,890 kg	4,167 lb
LIFTING CAPACITY	227 kg	500 lb

S2646E

REACH HEIGHT	10.1 m	33' 2"
PLATFORM HEIGHT	8.1 m	26' 7"
STOWED HEIGHT*	1.96 m	6' 5"
LENGTH	2.39 m	7' 10"
WIDTH	1.15 m	3' 9"
PLATFORM SIZE	2.25 x 1.15 m	7' 5" x 3' 9"
EXTENDED SIZE	3.15 x 1.15 m	10' 4" x 3' 9"
WEIGHT	2,528 kg	5,573 lb
LIFTING CAPACITY	450 kg	992 lb

GS3232

REACH HEIGHT	11.75 m	38' 7"
PLATFORM HEIGHT	9.75 m	32' 0"
STOWED HEIGHT*	2.03 m	6' 8"
LENGTH	2.44 m	8' 0"
WIDTH	0.81 m	2' 8"
PLATFORM SIZE	2.26 x 0.81 m	7' 5" x 2' 8"
EXTENDED SIZE	3.33 x 0.81 m	10' 11" x 2' 8"
WEIGHT	2,352 kg	5,185 lb
LIFTING CAPACITY	227 kg	500 lb

S3246E

REACH HEIGHT	12 m	39' 4"
PLATFORM HEIGHT	10 m	32' 10"
STOWED HEIGHT*	1.86 m	6' 1"
LENGTH	2.39 m	7' 10"
WIDTH	1.15 m	3' 9"
PLATFORM SIZE	2.25 x 1.15 m	7' 5" x 3' 9"
EXTENDED SIZE	3.15 x 1.15 m	10' 4" x 3' 9"
WEIGHT	2,646 kg	5,833 lb
LIFTING CAPACITY	320 kg	705 lb



CHARGING YOUR ACCESS PLATFORM

All electric powered access machines require charging. A suitable charging lead and 110v transformer can be hired or purchased and supplied with your machine if required. Just request one with your next machine hire from GTAccess.



IPAF OPERATOR TRAINING COURSES

See page 6 for course details.

Stop nuisance borrowing with GTA Secure™

0 3 3 0 3 3 3 4 8 4 8

*Stowed height shown is with the handrails folded.



ELECTRIC SCISSOR LIFTS

Perfect for use in narrow internal applications where a straight vertical lift is required. Some machines are outdoor-rated and can be used externally from a solid and level surface in certain circumstances.

BEST FOR: Indoor maintenance, electrical work, stocktaking, painting, HVAC etc...

COMPACT 14

REACH HEIGHT	13.85 m	45' 5"		
PLATFORM HEIGHT	11.85 m	38' 11"		
STOWED HEIGHT*	2.08 m	6' 10"		
LENGTH	2.49 m	8' 2"		
WIDTH	1.2 m	3' 11"		
PLATFORM SIZE	2.31 x 1.14 m	7' 7" x 3' 9"		
EXTENDED SIZE	3.23 x 1.14 m	10' 7" x 3' 9"		
WEIGHT	3,175 kg	7,000 lb		
LIFTING CAPACITY	350 kg	772 lb		

GS4069E

REACH HEIGHT	14.12 m	46' 4"		
PLATFORM HEIGHT	12.12 m	39' 9"		
STOWED HEIGHT*	2.08 m	6' 10"		
LENGTH	3.76 m	12' 4"		
WIDTH	1.75 m	5' 9"		
PLATFORM SIZE	2.79 x 1.6 m	9' 2" x 5' 3"		
EXTENDED SIZE	4.31 x 1.6 m	14' 2" x 5' 3"		
WEIGHT	5,202 kg	11,468 lb		
LIFTING CAPACITY	363 kg	800 lb		

DL1612

REACH HEIGHT	15.7 m	51' 6"		
PLATFORM HEIGHT	13.7 m	44' 11"		
STOWED HEIGHT*	2.05 m	6' 9"		
LENGTH	2.84 m	9' 4"		
WIDTH	1.25 m	4' 1"		
PLATFORM SIZE	2.64 x 1.12 m	8' 8" x 3' 8"		
EXTENDED SIZE	n/a	n/a		
WEIGHT	3,150 kg	6,945 lb		
LIFTING CAPACITY	250 kg	551 lb		

LIFTLUX 153-12

REACH HEIGHT	17.3 m	56' 9"		
PLATFORM HEIGHT	15.3 m	50' 2"		
STOWED HEIGHT*	2.65 m	8' 8"		
LENGTH	4.12 m	13' 6"		
WIDTH	1.22 m	4' 0"		
PLATFORM SIZE	3.91 x 1.16 m	12' 10" x 3' 10"		
EXTENDED SIZE	5.4 x 1.16 m	17' 9" x 3' 10"		
WEIGHT	7,600 kg	16,755 lb		
LIFTING CAPACITY	500 kg	1,102 lb		

HS18E PRO

REACH HEIGHT	18 m	59' 1"		
PLATFORM HEIGHT	16 m	52' 6"		
STOWED HEIGHT*	3.15 m	10' 4"		
LENGTH	4.4 m	14' 5"		
WIDTH	2.3 m	7' 7"		
PLATFORM SIZE	3.82 x 1.89 m	12' 6" x 6' 2"		
EXTENDED SIZE	5.8 x 1.89 m	19' 0" x 6' 2"		
WEIGHT	8010 kg	17,659 lb		
LIFTING CAPACITY	750 kg	1653 lb		

DL2212DC

REACH HEIGHT	22 m	72' 2"		
PLATFORM HEIGHT	20 m	65' 7"		
STOWED HEIGHT*	2.99 m	9' 10"		
LENGTH	4.72 m	15' 6"		
WIDTH	1.25 m	4' 1"		
PLATFORM SIZE	4.30 x 1.19 m	14' 1" x 3' 11"		
EXTENDED SIZE	6.10 x 1.19 m	20' 0" x 3' 11"		
WEIGHT	12,350 kg	27,227 lb		
LIFTING CAPACITY	600 kg	1,323 lb		



STOP UNAUTHORISED USE

GTA Secure is a simple and effective system that stops unauthorised use and provides real-time monitoring and reporting on machine location and status including; start time, finish time and usage.

Request GTA Secure on your next hire and stop 'nuisance borrowing' on site. See page 5 for more details.



COST SAVINGS

Electricity is typically cheaper than diesel fuel, this alone will save you money. In many circumstances; comparable electric machines are normally cheaper to hire than their diesel counterpart.

NEED A CHARGING LEAD AND TRANSFORMER?

See page 4 for details.

Need training? Give us a call or book online




DIESEL SCISSOR LIFTS

Diesel scissor lifts are perfect for external rough terrain applications where a straight vertical lift is required. All our models are 4-wheel drive and have jacks allowing you to level the machine on uneven ground.

BEST FOR: Construction sites, outdoor maintenance, painting, cladding etc...


SJ6826 RT

REACH HEIGHT	9.92 m	32' 7"
PLATFORM HEIGHT	7.92 m	26' 0"
STOWED HEIGHT*	1.61 m	5' 3"
LENGTH	3.35 m	10' 5"
WIDTH	1.76 m	5' 9"
PLATFORM SIZE	2.44 x 1.42 m	8' 0" x 4' 8"
EXTENDED SIZE	3.96 x 1.42 m	13' 0" x 4' 8"
WEIGHT	3,500 kg	7,716 lb
LIFTING CAPACITY	567 kg	1,250 lb




SJ6832 RT

REACH HEIGHT	11.75 m	38' 7"
PLATFORM HEIGHT	9.75 m	32' 0"
STOWED HEIGHT*	1.75 m	5' 9"
LENGTH	3.35 m	10' 11"
WIDTH	1.76 m	5' 9"
PLATFORM SIZE	2.44 x 1.42 m	8' 0" x 4' 8"
EXTENDED SIZE	3.96 x 1.42 m	13' 0" x 4' 8"
WEIGHT	3,781 kg	8,475 lb
LIFTING CAPACITY	454 kg	1,001 lb



SJ6832 RTE

REACH HEIGHT	11.75 m	38' 7"
PLATFORM HEIGHT	9.75 m	32' 0"
STOWED HEIGHT*	1.75 m	5' 9"
LENGTH	3.35 m	10' 11"
WIDTH	1.76 m	5' 9"
PLATFORM SIZE	2.44 x 1.42 m	8' 0" x 4' 8"
EXTENDED SIZE	3.96 x 1.42 m	13' 0" x 4' 8"
WEIGHT	3,844 kg	8,475 lb
LIFTING CAPACITY	454 kg	1,001 lb




COM 12DX

REACH HEIGHT	12.06 m	39' 7"
PLATFORM HEIGHT	10.06 m	33' 0"
STOWED HEIGHT*	1.7 m	5' 7"
LENGTH	3.17 m	10' 5"
WIDTH	1.78 m	5' 10"
PLATFORM SIZE	2.45 x 1.45 m	8' 0" x 4' 9"
EXTENDED SIZE	3.7 x 1.45 m	12' 2" x 4' 9"
WEIGHT	4,110 kg	9,061 lb
LIFTING CAPACITY	450 kg	992 lb




GS4069 RT

REACH HEIGHT	14.12 m	46' 4"
PLATFORM HEIGHT	12.12 m	39' 9"
STOWED HEIGHT*	2.08 m	6' 10"
LENGTH	3.12 m	10' 3"
WIDTH	1.75 m	5' 9"
PLATFORM SIZE	2.79 x 1.6 m	9' 2" x 5' 3"
EXTENDED SIZE	4.31 x 1.6 m	14' 2" x 5' 3"
WEIGHT	5,136 kg	11,323 lb
LIFTING CAPACITY	363 kg	800 lb




SJ8841 RT

REACH HEIGHT	14.5 m	47' 7"
PLATFORM HEIGHT	12.5 m	41' 0"
STOWED HEIGHT*	2.22 m	7' 3"
LENGTH	3.71 m	12' 2"
WIDTH	2.21 m	7' 3"
PLATFORM SIZE	3.5 x 1.7 m	11' 6" x 5' 7"
EXTENDED SIZE	5.7 x 1.7 m	18' 8" x 5' 7"
WEIGHT	6,173 kg	13,609 lb
LIFTING CAPACITY	681 kg	1,501 lb



SJ9250 RT

REACH HEIGHT	17.24 m	56' 7"
PLATFORM HEIGHT	15.24 m	50' 0"
STOWED HEIGHT*	2.29 m	7' 6"
LENGTH	4.47 m	14' 8"
WIDTH	2.34 m	7' 8"
PLATFORM SIZE	4 x 1.88 m	13' 1" x 6' 2"
EXTENDED SIZE	7.21 x 1.88 m	23' 8" x 6' 2"
WEIGHT	7,407 kg	16,330 lb
LIFTING CAPACITY	681 kg	1,501 lb




GS5390 RT

REACH HEIGHT	17.95 m	58' 10"
PLATFORM HEIGHT	15.95 m	52' 3"
STOWED HEIGHT*	2.02 m	6' 2"
LENGTH	3.98 m	13' 1"
WIDTH	2.29 m	6' 0"
PLATFORM SIZE	3.98 x 1.83 m	13' 1" x 7' 6"
EXTENDED SIZE	6.57 x 1.83 m	21' 7" x 7' 6"
WEIGHT	7,995 kg	17,624 lb
LIFTING CAPACITY	680 kg	1,500 lb



DL2223 RTB

REACH HEIGHT	22 m	72' 2"
PLATFORM HEIGHT	20 m	65' 7"
STOWED HEIGHT*	3 m	9' 10"
LENGTH	4.95 m	16' 3"
WIDTH	2.46 m	8' 1"
PLATFORM SIZE	4.59 x 2.25 m	15' 1" x 7' 5"
EXTENDED SIZE	7.29 x 2.25 m	23' 11" x 7' 5"
WEIGHT	13,000 kg	28,660 lb
LIFTING CAPACITY	750 kg	1,653 lb



DON'T FORGET THE FUEL



20 Litres of white diesel in a U.N. approved bag in box system. Quicker and easier than the forecourt! Get free delivery with your next powered access hire from GTAAccess.



**GTA SECURE™
CAN PREVENT
UNAUTHORISED USE**

See page 5 for details.

Why not connect with us on...

*Stowed height shown is with the handrails folded.



ELECTRIC ARTICULATED BOOMS

Designed with small footprints for internal or external use where space is restricted. When working over racking and shelving, most booms such as the Star 10 and 12E Plus are an ideal choice.

BEST FOR: Indoor maintenance, electrical work, stocktaking, painting, HVAC etc...

STAR 10

REACH HEIGHT	10 m	32' 10"		
PLATFORM HEIGHT	8 m	26' 3"		
UP AND OVER	6.5 m	21' 4"		
HORIZONTAL REACH	3 m	9' 10"		
STOWED HEIGHT	1.99 m	6' 6"		
LENGTH x WIDTH*	2.7 x 1 m	8' 10" x 3' 3"		
PLATFORM SIZE	0.98 x 0.78 m	3' 3" x 2' 7"		
WEIGHT	2,677 kg	5,902 lb		
LIFTING CAPACITY	200 kg	441 lb		

Z30/20

REACH HEIGHT	10.89 m	35' 9"		
PLATFORM HEIGHT	8.89 m	29' 2"		
UP AND OVER	3.86 m	12' 8"		
HORIZONTAL REACH	6.3 m	20' 8"		
STOWED HEIGHT	2.05 m	6' 9"		
LENGTH x WIDTH*	5.31 x 1.19 m	17' 5" x 3' 11"		
PLATFORM SIZE	0.76 x 1.17 m	2' 6" x 3' 10"		
WEIGHT	6,450 kg	14,220 lb		
LIFTING CAPACITY	227 kg	500 lb		

AM11

REACH HEIGHT	11.2 m	36' 9"		
PLATFORM HEIGHT	9.2 m	30' 2"		
UP AND OVER	7.89 m	25' 11"		
HORIZONTAL REACH	3 m	9' 10"		
STOWED HEIGHT	1.99 m	6' 6"		
LENGTH x WIDTH*	2.72 x 1 m	8' 11" x 3' 3"		
PLATFORM SIZE	0.87 x 0.62 m	2' 10" x 2' 0"		
WEIGHT	2,950 kg	6,504 lb		
LIFTING CAPACITY	200 kg	441 lb		

HA12 CJ+

REACH HEIGHT	11.68 m	38' 4"		
PLATFORM HEIGHT	9.68 m	31' 9"		
UP AND OVER	4.74 m	15' 7"		
HORIZONTAL REACH	7.22 m	23' 8"		
STOWED HEIGHT	1.99 m	6' 6"		
LENGTH x WIDTH*	5.64 x 1.2 m	18' 6" x 3' 11"		
PLATFORM SIZE	1.14 x 0.8 m	3' 9" x 2' 7"		
WEIGHT	7,110 kg	15,675 lb		
LIFTING CAPACITY	230 kg	507 lb		

Z33/18

REACH HEIGHT	12 m	39' 4"		
PLATFORM HEIGHT	10 m	32' 10"		
UP AND OVER	4.28 m	14' 1"		
HORIZONTAL REACH	5.57 m	18' 3"		
STOWED HEIGHT	1.98 m	6' 6"		
LENGTH x WIDTH*	4.17 x 1.5 m	13' 8" x 4' 11"		
PLATFORM SIZE	1.17 x 0.76 m	3' 10" x 2' 6"		
WEIGHT	3,665 kg	8,080 lb		
LIFTING CAPACITY	200 kg	440 lb		

12E PLUS

REACH HEIGHT	12.65 m	42' 6"		
PLATFORM HEIGHT	10.65 m	34' 11"		
UP AND OVER	7.12 m	23' 4"		
HORIZONTAL REACH	6.05 m	19' 10"		
STOWED HEIGHT	1.99 m	6' 6"		
LENGTH x WIDTH*	3.65 x 1.2 m	12' 0" x 3' 11"		
PLATFORM SIZE	1.05 x 0.7 m	3' 5" x 2' 4"		
WEIGHT	4,900 kg	10,803 lb		
LIFTING CAPACITY	200 kg	441 lb		

HR15E

REACH HEIGHT	15.5 m	50' 10"		
PLATFORM HEIGHT	13.5 m	44' 3"		
UP AND OVER	5.2 m	17' 1"		
HORIZONTAL REACH	9.7 m	31' 10"		
STOWED HEIGHT	1.99 m	6' 6"		
LENGTH x WIDTH*	6.4 x 1.5 m	21' 0" x 4' 11"		
PLATFORM SIZE	1.5 x 0.8 m	4' 11" x 2' 7"		
WEIGHT	7,250 kg	15,984 lb		
LIFTING CAPACITY	225 kg	496 lb		

LOW CARBON FOOTPRINT

Making environmentally responsible decisions, you can also help position your company as an innovative and green organisation, both to your employees and customers. Lastly, an electric cherry picker hire will help you contribute to a decrease in our global carbon footprint.



PASMA
WE ALSO RUN
PASMA COURSES

See page 6 for details.

Need a harness? Buy online at gtaccess.co.uk

*Length and Width shown are when stowed.



ELECTRIC ARTICULATED BOOMS

Designed for either internal or external use. These larger clean battery powered booms are your environmentally friendly option.

BEST FOR: Indoor maintenance, electrical work, stocktaking, painting, HVAC etc...

SIGMA 16 PRO

REACH HEIGHT	15.7 m	51' 6"	
PLATFORM HEIGHT	13.7 m	44' 11"	
UP AND OVER	7.4 m	24' 3"	
HORIZONTAL REACH	8.05 m	26' 5"	
STOWED HEIGHT	2 m	6' 7"	
LENGTH x WIDTH*	6.65 x 1.75 m	21' 10" x 5' 9"	
PLATFORM SIZE	1.20 x 0.8 m	3' 9" x 2' 7"	
WEIGHT	6,950 kg	15,322 lb	
LIFTING CAPACITY	230 kg	507 lb	

Z45/25E

REACH HEIGHT	15.94 m	52' 4"	
PLATFORM HEIGHT	13.94 m	45' 9"	
UP AND OVER	7.24 m	23' 9"	
HORIZONTAL REACH	7.65 m	25' 1"	
STOWED HEIGHT	2 m	6' 7"	
LENGTH x WIDTH*	6.83 x 1.79 m	22' 5" x 5' 10"	
PLATFORM SIZE	1.83 x 0.76 m	6' 0" x 2' 6"	
WEIGHT	7,394 kg	16,301 lb	
LIFTING CAPACITY	227 kg	500 lb	

HA20 PRO+

REACH HEIGHT	20.76 m	68' 1"	
PLATFORM HEIGHT	18.76 m	61' 7"	
UP AND OVER	8.52 m	27' 11"	
HORIZONTAL REACH	11.91 m	39' 1"	
STOWED HEIGHT	2.5 m	8' 2"	
LENGTH x WIDTH*	8.54 x 2.41 m	28' 0" x 7' 11"	
PLATFORM SIZE	1.83 x 0.8 m	2' 7" x 6' 0"	
WEIGHT	9,785 kg	21,572 lb	
LIFTING CAPACITY	250/350 kg	551/772 lb	

HR17E

REACH HEIGHT	17 m	55' 9"	
PLATFORM HEIGHT	15 m	49' 3"	
UP AND OVER	7.1 m	23' 4"	
HORIZONTAL REACH	9.7 m	31' 10"	
STOWED HEIGHT	1.99 m	6' 6"	
LENGTH x WIDTH*	6.4 x 1.5 m	21' 0" x 4' 11"	
PLATFORM SIZE	1.5 x 0.8 m	4' 11" x 2' 7"	
WEIGHT	7,780 kg	17,152 lb	
LIFTING CAPACITY	225 kg	496 lb	

HR21E

REACH HEIGHT	20.8 m	68' 3"	
PLATFORM HEIGHT	18.8 m	61' 8"	
UP AND OVER	6.8 m	22' 4"	
HORIZONTAL REACH	12.8 m	42' 0"	
STOWED HEIGHT	2.15 m	7' 1"	
LENGTH x WIDTH*	6.7 x 2.27 m	22' 0" x 7' 5"	
PLATFORM SIZE	1.8 x 0.85 m	5' 11" x 2' 9"	
WEIGHT	6,640 kg	14,640 lb	
LIFTING CAPACITY	250 kg	550 lb	

DL22ERT

REACH HEIGHT	22.21 m	72' 10"	
PLATFORM HEIGHT	20.21 m	60' 3"	
UP AND OVER	8.13 m	26' 7"	
HORIZONTAL REACH	12.72 m	41' 73"	
STOWED HEIGHT	2.49 m	8' 17"	
LENGTH x WIDTH*	9.55 x 2.29 m	21' 10" x 5' 9"	
PLATFORM SIZE	1.83 x 0.79 m	6' 0" x 2' 6"	
WEIGHT	10,100 kg	22,266 lb	
LIFTING CAPACITY	230 kg	507 lb	



LESS EMISSIONS

Our electric machines can be used indoors as well as outdoors due to their low pollution battery system. Ideal for operation in inner-city areas and low-emission zones.

**GTA SECURE™
CAN PREVENT
UNAUTHORISED USE**

See page 5 for details.

For more information visit gtaccess.co.uk

*Length and Width shown are when stowed.



BI-ENERGY ARTICULATED BOOMS

Dual power machines designed for the industrial market for both internal and external applications. They combine the benefits of a battery system with the versatility of a diesel engine for on site flexibility, simply select the appropriate power source for the location.

BEST FOR: Indoor/outdoor maintenance, electrical work, painting etc...

HR12BE

REACH HEIGHT	12.2 m	40' 0"
PLATFORM HEIGHT	10.2 m	33' 6"
UP AND OVER	4 m	13' 1"
HORIZONTAL REACH	6.1 m	20' 0"
HEIGHT STOWED	1.9 m	6' 3"
LENGTH x WIDTH*	4.1 x 1.5 m	13' 5" x 4' 11"
PLATFORM SIZE	1.1 x 0.65 m	3' 7" x 2' 2"
WEIGHT	3,435 kg	7,573 lb
LIFTING CAPACITY	200 kg	441 lb

HR15BE

REACH HEIGHT	15.5 m	50' 10"
PLATFORM HEIGHT	13.5 m	44' 3"
UP AND OVER	5.2 m	17' 1"
HORIZONTAL REACH	9.7 m	31' 10"
HEIGHT STOWED	1.99 m	6' 6"
LENGTH x WIDTH*	6.4 x 1.5 m	21' 0" x 4' 11"
PLATFORM SIZE	1.5 x 0.8 m	4' 11" x 2' 7"
WEIGHT	7,250 kg	15,984 lb
LIFTING CAPACITY	225 kg	496 lb

Z45/25BE

REACH HEIGHT	15.94 m	52' 4"
PLATFORM HEIGHT	13.94 m	45' 9"
UP AND OVER	7.24 m	23' 9"
HORIZONTAL REACH	7.65 m	25' 1"
HEIGHT STOWED	2 m	6' 7"
LENGTH x WIDTH*	6.83 x 1.79 m	22' 5" x 5' 10"
PLATFORM SIZE	1.83 x 0.76 m	6' 0" x 2' 6"
WEIGHT	7,620 kg	16,799 lb
LIFTING CAPACITY	227 kg	500 lb

HR17BE

REACH HEIGHT	17 m	55' 9"
PLATFORM HEIGHT	15 m	49' 3"
UP AND OVER	7.1 m	23' 4"
HORIZONTAL REACH	9.7 m	31' 10"
HEIGHT STOWED	1.99 m	6' 6"
LENGTH x WIDTH*	6.4 x 1.5 m	21' 0" x 4' 11"
PLATFORM SIZE	1.5 x 0.8 m	4' 11" x 2' 7"
WEIGHT	7,650 kg	16,865 lb
LIFTING CAPACITY	225 kg	496 lb

HA20 PRO+

REACH HEIGHT	20.76 m	68' 1"
PLATFORM HEIGHT	18.76 m	61' 7"
UP AND OVER	8.52 m	27' 11"
HORIZONTAL REACH	11.91 m	39' 1"
HEIGHT STOWED	2.5 m	8' 2"
LENGTH x WIDTH*	8.54 x 2.41 m	28' 0" x 7' 11"
PLATFORM SIZE	1.83 x 0.8 m	2' 7" x 6' 0"
WEIGHT	9,785 kg	21,572 lb
LIFTING CAPACITY	250/350 kg	551/772 lb

HR21BE

REACH HEIGHT	20.8 m	68' 3"
PLATFORM HEIGHT	18.8 m	61' 8"
UP AND OVER	6.8 m	22' 4"
HORIZONTAL REACH	12.8 m	42' 0"
HEIGHT STOWED	2.15 m	7' 1"
LENGTH x WIDTH*	6.7 x 2.27 m	22' 0" x 7' 5"
PLATFORM SIZE	1.8 x 0.85 m	5' 11" x 2' 9"
WEIGHT	6,500 kg	14,330 lb
LIFTING CAPACITY	225 kg	496 lb

HR28BE

REACH HEIGHT	28 m	91' 10"
PLATFORM HEIGHT	26 m	85' 4"
UP AND OVER	8.4 m	27' 7"
HORIZONTAL REACH	19 m	62' 4"
HEIGHT STOWED	2.7 m	8' 10"
LENGTH x WIDTH*	9.28 x 2.49 m	30' 5" x 8' 2"
PLATFORM SIZE	2.4 x 0.9 m	7' 10" x 2' 11"
WEIGHT	14,650 kg	32,298 lb
LIFTING CAPACITY	280 kg	617 lb




NEED SOMETHING MORE SPECIALIST

See page 23 for details.

Need training? Book online at gtaccess.co.uk

*Length and Width shown are when stowed.



DIESEL ARTICULATED BOOMS

Perfect for the most demanding external applications with a large range of movement to allow access up, over and around obstacles. These machines are all 4-wheel drive which gives them an unrivalled ability to be driven across rough unfinished ground.

BEST FOR: Construction sites, outdoor maintenance, painting etc...

MAN'GO 12

REACH HEIGHT	11.91 m	39' 1"		
PLATFORM HEIGHT	9.91 m	32' 6"		
UP AND OVER	m	' "		
HORIZONTAL REACH	6.69 m	21' 11"		
HEIGHT STOWED	2.49 m	8' 2"		
LENGTH x WIDTH*	5.5 x 1.8 m	18' 1" x 5' 11"		
PLATFORM SIZE	1.5 x 0.98 m	4' 11" x 3' 3"		
WEIGHT	4,150 kg	9,149 lb		
LIFTING CAPACITY	230 kg	507 lb		

HR12RT

REACH HEIGHT	12.2 m	40' 0"		
PLATFORM HEIGHT	10.2 m	33' 6"		
UP AND OVER	4 m	13' 1"		
HORIZONTAL REACH	6.1 m	20' 0"		
HEIGHT STOWED	1.95 m	6' 5"		
LENGTH x WIDTH*	4.1 x 1.6 m	13' 5" x 5' 3"		
PLATFORM SIZE	1.1 x 0.65 m	3' 7" x 2' 2"		
WEIGHT	3,470 kg	7,650 lb		
LIFTING CAPACITY	200 kg	441 lb		

HR15RT

REACH HEIGHT	15.7 m	51' 6"		
PLATFORM HEIGHT	13.7 m	44' 11"		
UP AND OVER	5.2 m	17' 1"		
HORIZONTAL REACH	9.4 m	30' 10"		
HEIGHT STOWED	2.1 m	6' 11"		
LENGTH x WIDTH*	6.35 x 2 m	20' 10" x 6' 7"		
PLATFORM SIZE	1.8 x 0.85 m	5' 11" x 2' 9"		
WEIGHT	4,500 kg	9,921 lb		
LIFTING CAPACITY	225 kg	496 lb		

Z45/25+

REACH HEIGHT	15.86 m	51' 6"		
PLATFORM HEIGHT	13.86 m	45' 6"		
UP AND OVER	7.44 m	24' 5"		
HORIZONTAL REACH	7.55 m	24' 9"		
HEIGHT STOWED	2.25 m	7' 4"		
LENGTH x WIDTH*	6.66 x 2.29 m	21' 10" x 7' 6"		
PLATFORM SIZE	1.83 x 0.76 m	6' 0" x 2' 6"		
WEIGHT	6,870 kg	15,145 lb		
LIFTING CAPACITY	300/454 kg	1,000 lb		

160ATJ

REACH HEIGHT	16.01 m	52' 6"		
PLATFORM HEIGHT	14.01 m	46' 0"		
UP AND OVER	7.38 m	24' 3"		
HORIZONTAL REACH	8.3 m	27' 3"		
HEIGHT STOWED	2.37 m	7' 9"		
LENGTH x WIDTH*	6.68 x 2.32 m	21' 11" x 7' 7"		
PLATFORM SIZE	1.8 x 0.8 m	5' 11" x 2' 7"		
WEIGHT	6,118 kg	13,488 lb		
LIFTING CAPACITY	230 kg	507 lb		

160ATJ+

REACH HEIGHT	16.21 m	53' 2"		
PLATFORM HEIGHT	14.21 m	46' 7"		
UP AND OVER	7 m	23' 0"		
HORIZONTAL REACH	8.94 m	29' 4"		
HEIGHT STOWED	2.37 m	7' 9"		
LENGTH x WIDTH*	6.92 x 2.3 m	22' 8" x 7' 7"		
PLATFORM SIZE	2.3 x 0.93 m	7' 7" x 3' 1"		
WEIGHT	8,100 kg	17,857 lb		
LIFTING CAPACITY	400 kg	882 lb		

ZEBRA 16S

REACH HEIGHT	16.8 m	55' 1"		
PLATFORM HEIGHT	14.8 m	48' 7"		
UP AND OVER	7.4 m	24' 3"		
HORIZONTAL REACH	9.3 m	30' 6"		
HEIGHT STOWED	2.25 m	7' 5"		
LENGTH x WIDTH*	7.7 x 2.24 m	25' 3" x 7' 4"		
PLATFORM SIZE	1.8 x 0.86 m	5' 11" x 2' 10"		
WEIGHT	8,050 kg	17,747 lb		
LIFTING CAPACITY	230 kg	507 lb		


EXTRA CAPACITY+

If you require more lifting capacity for more operators and/or equipment then look for the 'Extra Capacity' icon. All our + platforms have the ability to lift more, for instance the Genie Z45/25+ combines up to 100% more lift capacity than a standard machine.



IPAF OPERATOR TRAINING COURSES
See page 6 for course details.

For safety, always wear a harness on a boom



DIESEL ARTICULATED BOOMS

Perfect for the most demanding external applications with a large range of movement to allow access up, over and around obstacles. These machines are all 4-wheel drive which gives them an unrivalled ability to be driven across rough unfinished ground.

BEST FOR: Construction sites, outdoor maintenance, painting etc...



IPAF OPERATOR

We can supply a fully trained operator with relevant qualifications and experience with your hire machine, giving you the confidence you need to complete your working at height project. See page 17 for details.

180ATJ

REACH HEIGHT	17.65 m	57' 11"
PLATFORM HEIGHT	15.65 m	51' 4"
UP AND OVER	7.15 m	23' 5"
HORIZONTAL REACH	10.53 m	34' 9"
HEIGHT STOWED	2.53 m	8' 4"
LENGTH x WIDTH*	7.77 x 2.3 m	25' 6" x 7' 7"
PLATFORM SIZE	2.1 x 0.8 m	6' 11" x 2' 7"
WEIGHT	8,090 kg	17,835 lb
LIFTING CAPACITY	230 kg	507 lb

200ATJ

20 m	65' 7"
18 m	59' 1"
8 m	26' 3"
12 m	39' 4"
2.7 m	8' 10"
8.5 x 2.4 m	27' 11" x 7' 10"
2.1 x 0.8 m	6' 11" x 2' 7"
10,000 kg	22,046 lb
230 kg	507 lb

HR21RT

REACH HEIGHT	20.7 m	67' 11"
PLATFORM HEIGHT	18.7 m	61' 4"
UP AND OVER	6.8 m	22' 4"
HORIZONTAL REACH	12.60 m	41' 4"
HEIGHT STOWED	2.15 m	7' 1"
LENGTH x WIDTH*	6.25 x 2.25 m	20' 6" x 7' 5"
PLATFORM SIZE	1.8 x 0.7 m	5' 11" x 2' 4"
WEIGHT	6,640 kg	14,640 lb
LIFTING CAPACITY	250 kg	550 lb

SJ63

21.38 m	70' 2"
19.38 m	63' 7"
8.38 m	27' 6"
12.19 m	40' 0"
2.54 m	8' 4"
9.14 x 2.44 m	30' 0" x 8' 0"
1.83 x 0.91 m	6' 0" x 3' 0"
10,200 kg	22,487 lb
227 kg	500 lb

Z80/60

REACH HEIGHT	25.77 m	84' 7"
PLATFORM HEIGHT	23.77 m	78' 0"
UP AND OVER	8.83 m	29' 0"
HORIZONTAL REACH	18.29 m	60' 0"
HEIGHT STOWED	3 m	9' 10"
LENGTH x WIDTH*	11.27 x 2.49 m	37' 0" x 8' 2"
PLATFORM SIZE	2.44 x 0.91 m	8' 0" x 3' 0"
WEIGHT	17,010 kg	37,501 lb
LIFTING CAPACITY	227 kg	500 lb

SJ85+

27.91 m	91' 7"
25.91 m	85' 0"
10.36 m	34' 0"
17.07 m	56' 0"
2.67 m	8' 9"
11.63 x 2.49 m	38' 2" x 8' 2"
1.83 x 0.91 m	6' 0" x 2' 12"
16,965 kg	37,401 lb
227/340 kg	750 lb

ZX135/70

43.15 m	141' 7"
41.15 m	135' 0"
23.01 m	75' 6"
21.26 m	69' 9"
3.09 m	10' 2"
12.93 x 3.94 [†] m	42' 5" x 12' 11" ^{††}
2.44 x 0.91 m	8' 0" x 2' 11"
21,092 kg	46,500 lb
272 kg	600 lb

[†]Width with axle extended for use. Width with axle retracted is 2.49 m (8' 2")

*Length and Width shown are when stowed.

ALWAYS WEAR A HARNESS WHEN OPERATING A BOOM

See page 4 for more information.

Stop nuisance borrowing with GTA Secure™

0 3 3 0 3 3 3 4 8 4 8



DIESEL TELESCOPIC BOOMS

These machines are all 4-wheel drive for the most demanding external environments and are perfect for areas with limited access within construction and industrial applications. Telescopic booms offer a greater horizontal outreach than any other type of aerial platform.

BEST FOR: Construction sites, outdoor maintenance, painting, steel work etc...

220TJ

REACH HEIGHT	21.77 m	71' 5"
PLATFORM HEIGHT	19.77 m	64' 10"
HORIZONTAL REACH	17.63 m	57' 10"
HEIGHT STOWED	2.72 m	8' 11"
LENGTH*	7.29 m	23' 11"
WIDTH*	2.48 m	8' 2"
PLATFORM SIZE	2.3 x 0.9 m	7' 7" x 2' 11"
WEIGHT	11,850 kg	26,125 lb
LIFTING CAPACITY	230 kg	507 lb

SI66T

REACH HEIGHT	22.12 m	72' 7"
PLATFORM HEIGHT	20.12 m	66' 0"
HORIZONTAL REACH	17.37 m	57' 0"
HEIGHT STOWED	2.57 m	8' 5"
LENGTH*	10.34 m	33' 11"
WIDTH*	2.44 m	8' 0"
PLATFORM SIZE	1.83 x 0.91 m	6' 0" x 3' 0"
WEIGHT	12,800 kg	28,219 lb
LIFTING CAPACITY	227 kg	500 lb

260TJ+

REACH HEIGHT	25.91 m	85' 0"
PLATFORM HEIGHT	23.91 m	78' 5"
HORIZONTAL REACH	19.7 m	64' 8"
HEIGHT STOWED	2.75 m	9' 0"
LENGTH*	10.8 m	35' 5"
WIDTH*	2.43 m	8' 0"
PLATFORM SIZE	2.3 x 0.9 m	7' 7" x 2' 11"
WEIGHT	16,300 kg	35,935 lb
LIFTING CAPACITY	400 kg	882 lb

280TJ+

REACH HEIGHT	27.75 m	91' 1"
PLATFORM HEIGHT	25.75 m	84' 6"
HORIZONTAL REACH	21.45 m	70' 4"
HEIGHT STOWED	2.71 m	8' 11"
LENGTH*	8.04 m	26' 5"
WIDTH*	2.48 m	8' 2"
PLATFORM SIZE	2.3 x 0.9 m	7' 7" x 2' 11"
WEIGHT	16,550 kg	36,487 lb
LIFTING CAPACITY	240/350 kg	772 lb

860SJ

REACH HEIGHT	28.21 m	92' 7"
PLATFORM HEIGHT	26.21 m	86' 0"
HORIZONTAL REACH	22.86 m	75' 0"
HEIGHT STOWED	3.05 m	10' 0"
LENGTH*	12.19 m	40' 0"
WIDTH*	2.49 m	8' 2"
PLATFORM SIZE	2.44 x 0.91 m	8' 0" x 3' 0"
WEIGHT	17,200 kg	37,920 lb
LIFTING CAPACITY	230 kg	507 lb

BT30RT

REACH HEIGHT	30.30 m	99' 5"
PLATFORM HEIGHT	28.30 m	92' 10"
HORIZONTAL REACH	22.65 m	74' 4"
HEIGHT STOWED	2.87 m	9' 5"
LENGTH*	12.30 m	40' 4"
WIDTH*	2.50 m	8' 2"
PLATFORM SIZE	2.44 x 0.90 m	8' 0" x 2' 11"
WEIGHT	18,210 kg	40,146 lb
LIFTING CAPACITY	454 kg	1001 lb

S125

REACH HEIGHT	40.15 m	131' 9"
PLATFORM HEIGHT	38.15 m	125' 2"
HORIZONTAL REACH	24.38 m	80' 0"
HEIGHT STOWED	3.07 m	10' 1"
LENGTH*	14.25 m	46' 9"
WIDTH*	3.35 m	11' 0"
PLATFORM SIZE	2.44 x 0.91 m	8' 0" x 3' 0"
WEIGHT	20,248 kg	44,639 lb
LIFTING CAPACITY	227 kg	500 lb

*Width with axle extended for use. Width with axle retracted is 2.49 m (8' 2")



**PROTECT
SOFT GROUND
WITH THE USE OF
GROUND GUARDS**

See page 4 for more details.

Need a harness? Buy online at gtaccess.co.uk



TRAILER MOUNTED BOOMS

These road-towable trailer-mounted boom lifts can be transported easily from site to site and can be ready within minutes of arriving. Suitable for use on sloping ground with powered outriggers.

BEST FOR: Outdoor maintenance, signage, tree surgery, telecommunications etc...

NL120TE	
REACH HEIGHT	12.2 m / 40' 0"
PLATFORM HEIGHT	10.2 m / 33' 6"
UP AND OVER	4.5 m / 14' 9"
HORIZONTAL REACH	6.1 m / 20' 0"
HEIGHT STOWED	1.9 m / 6' 3"
DEPLOYED WIDTH	3.55 m / 11' 8"
PLATFORM SIZE	1.1 x 0.65 m / 3' 7" x 2' 2"
WEIGHT	1,400 kg / 3,100 lb
LIFTING CAPACITY	200 kg / 440 lb

Stowed travel size is 4.5 x 1.1 m (14'9" x 3' 7")

NL170	
REACH HEIGHT	17.1 m / 56' 1"
PLATFORM HEIGHT	15.1 m / 49' 6"
UP AND OVER	6.3 m / 20' 8"
HORIZONTAL REACH	8.7 m / 28' 7"
HEIGHT STOWED	2.15 m / 7' 1"
DEPLOYED WIDTH	4.4 m / 14' 5"
PLATFORM SIZE	1.1 x 0.65 m / 3' 7" x 2' 2"
WEIGHT	2,190 kg / 4,828 lb
LIFTING CAPACITY	200 kg / 441 lb

Stowed travel size is 6.68 x 2.27 (21' 11" x 7' 5")

REMEMBER TO WEAR A HARNESS WITH ALL BOOMS

One of the biggest risks when using a boom-type platform is being catapulted out of the basket. This can happen easily if the boom swings, jolts or tilts away from the machine's centre of gravity.

Wearing a harness can prevent you from being thrown out. You can purchase these from GTAccess. See page 4 for more information.

NOT SURE WHICH PLATFORM YOU NEED?

We can help with a free site survey, just contact your local depot and you'll never need to worry whether you've ordered the correct machine ever again.

Call your local depot today.

0 3 3 0 3 3 3 4 8 4 8



REMEMBER TO GET YOUR HARNESS INSPECTED

See page 4 for details.

For more information visit gtaccess.co.uk



HIRE A COMBINED MACHINE & TRAILER PACKAGE

The perfect solution for multi-site work as machine can be moved between sites. This guarantees that the machine is there when you are. In certain circumstances this can dramatically lower your transportation costs. Can also reduce the risk of machine damage as not left unattended on site.

BEST FOR: Multi-site use and for locations where machine cannot be left overnight etc...

SUITABLE MACHINES FOR THIS PACKAGE:

Push Around Vehicle - Page 10

- PECO LIFT ECO LIFT
- NANO LIFT S3010P
- UL32 MAST LIFT

Electric Scissor - Page 11

- DL0607 ES1530L
- SJ16 DL0708
- S1930E SJ3226
- S2646E S3246E
- GS3232

Electric Boom - Page 14

- STAR 10

Specialist Access - Page 23

- GL1570
- GL1775

It is up to the hirer to check they have the correct entitlement on their driving licence (must be UK issued) to ensure they are legal to tow the trailer they are using.

It is the responsibility of the hirer to bring their own rear (yellow) number plate for the trailer. Please note handwritten number plates are not classed as legal in the UK.

Trailer requires 50mm tow ball hitch on your towing vehicle.

Customers must ensure that their vehicle is suitable to tow 3.5 tonne GVW.

This package comes with all necessary ratchet straps. We will preload the machine onto the trailer and secure access platform before you leave.

It is the hirer's responsibility to ensure that you have adequate insurance cover for both machine and trailer.



LOADING/UNLOADING

Loading and unloading should be carried out by trained and competent staff who are aware of the risks involved. Drivers should also be aware of the additional risk of the load. See page 6 for training course details.

Collect your machine from your local depot to save on transport costs, ideal for multi-site work.



GTA SECURE™ CAN PREVENT UNAUTHORISED USE

See page 5 for details.

Why not connect with us on...



TRUCK MOUNTED BOOMS

The perfect solution for multi-site work as they can be driven between sites. These machines can be ready within minutes of arriving at a site and are suitable for use on sloping ground with powered outriggers.

BEST FOR: Outdoor maintenance, signage, tree surgery, telecommunications etc...

HX200EX

REACH HEIGHT	19.9 m	65' 3"
PLATFORM HEIGHT	17.9 m	58' 7"
UP AND OVER	9.8 m	32' 2"
HORIZONTAL REACH	9.6 m	31' 5"
HEIGHT STOWED	2.6 m	8' 5"
DEPLOYED WIDTH	3.06 m	10' 03"
PLATFORM SIZE	1.4 x 0.70 m	4' 6" x 2' 3"
WEIGHT	3,350 kg	7,385 lb
LIFTING CAPACITY	225 kg	496 lb

Stowed travel size is 7.52 x 2.60 m (24' 7" x 8' 5")

205N

REACH HEIGHT	20 m	65' 7"
PLATFORM HEIGHT	18 m	59' 1"
UP AND OVER	8.5 m	27' 11"
HORIZONTAL REACH	9.1 m	29' 10"
HEIGHT STOWED	2.5 m	8' 2"
DEPLOYED WIDTH	2.98 m	9' 9"
PLATFORM SIZE	1.4 x 0.71 m	4' 7" x 2' 4"
WEIGHT	3,500 kg	7,716 lb
LIFTING CAPACITY	230 kg	507 lb

Stowed travel size is 6.2 x 1.65 m (20' 4" x 5' 5")

210J

REACH HEIGHT	20.5 m	67' 3"
PLATFORM HEIGHT	18.5 m	60' 7"
UP AND OVER	8.5 m	27' 9"
HORIZONTAL REACH	9.6 m	31' 5"
HEIGHT STOWED	2.65 m	8' 7"
DEPLOYED WIDTH	6.89 x 2.05 m	22' 6" x 6' 7"
PLATFORM SIZE	1.4 x 0.71 m	4' 6" x 2' 3"
WEIGHT	3,500 kg	7,716 lb
LIFTING CAPACITY	250 kg	551 lb

Stowed travel size is 6.99 x 2.07 m (22' 11" x 6' 9")

MZ250

REACH HEIGHT	25.1 m	82' 4"
PLATFORM HEIGHT	23.1 m	75' 9"
UP AND OVER	7 m	23' 0"
HORIZONTAL REACH	14.35 m	47' 1"
HEIGHT STOWED	2.9 m	9' 6"
DEPLOYED WIDTH	3.4 m	11' 2"
PLATFORM SIZE	1.4 x 0.7 m	4' 7" x 2' 4"
WEIGHT	3,500 kg	7,716 lb
LIFTING CAPACITY	250 kg	551 lb

Stowed travel size is 6.29 x 2 m (20' 8" x 6' 7")

T330

REACH HEIGHT	33 m	108' 3"
PLATFORM HEIGHT	31 m	101' 8"
UP AND OVER	2.7 m	8' 10"
HORIZONTAL REACH	21.2 m	69' 7"
HEIGHT STOWED	3.56 m	11' 8"
DEPLOYED WIDTH	5.4 m	17' 9"
PLATFORM SIZE	1.7 x 0.86 m	5' 7" x 2' 10"
WEIGHT	7,490 kg	16,513 lb
LIFTING CAPACITY	320 kg	705 lb

Stowed travel size is 8.79 x 2.4 m (28' 10" x 7' 10")

T360

REACH HEIGHT	36 m	118' 1"
PLATFORM HEIGHT	34 m	111' 7"
UP AND OVER	3.2 m	10' 6"
HORIZONTAL REACH	30.9 m	101' 5"
HEIGHT STOWED	4.2 m	13' 9"
DEPLOYED WIDTH	5.9 m	19' 4"
PLATFORM SIZE	1.7 x 0.86 m	5' 7" x 2' 10"
WEIGHT	15,000 kg	33,069 lb
LIFTING CAPACITY	350 kg	772 lb

Stowed travel size is 9.47 x 2.7 (31' 1" x 8' 10")



DRIVE AWAY TODAY

These platforms are attached to either a van or a truck, making them completely portable, a real alternative to traditional powered access hire. The majority of our fleet is on 3.5 tonne, which means they can be driven on a standard UK/EU driving license. You can hire and pick up these vehicles from your local depot.

Stowed travel size is 8.79 x 2.4 m (28' 10" x 7' 10")


Stowed travel size is 10.36 x 2.8 m (34' x 9' 2")

REMEMBER TO GET YOUR HARNESS INSPECTED

See page 4 for details.

Need training? Give us a call or book online

0 3 3 0 3 3 3 4 8 4 8



SPECIALIST ACCESS PLATFORMS

A range of tracked and 4x4 wheeled machines designed for applications where a standard machine will not suffice. Whether it be ground conditions, restricted access or weight loadings, one of these platforms will be able to resolve your issue.

BEST FOR: Indoor/outdoor maintenance, public buildings, tree surgery etc...

GL1570

REACH HEIGHT	15.4 m	50' 6"
PLATFORM HEIGHT	13.4 m	44' 0"
UP AND OVER	7 m	23' 0"
HORIZONTAL REACH	6.6 m	21' 8"
STOWED HEIGHT	1.99 m	6' 6"
DEPLOYED WIDTH	2.8 m	9' 2"
PLATFORM SIZE	1.34 x 0.69 m	4' 5" x 2' 3"
WEIGHT	1,950 kg	4,299 lb
LIFTING CAPACITY	230 kg	507 lb

Stowed travel size is 4.02 x 0.75 m (13' 2" x 2' 6")

GL1775

REACH HEIGHT	17.06 m	56' 0"
PLATFORM HEIGHT	15.06 m	49' 5"
UP AND OVER	7.8 m	25' 7"
HORIZONTAL REACH	7.5 m	24' 7"
STOWED HEIGHT	1.99 m	6' 6"
DEPLOYED WIDTH	2.89 m	9' 6"
PLATFORM SIZE	1.34 x 0.69 m	4' 5" x 2' 3"
WEIGHT	2,230 kg	4,916 lb
LIFTING CAPACITY	230 kg	507 lb

Stowed travel size is 4.53 x 0.8 m (14' 10" x 2' 7")

SD170

REACH HEIGHT	17.1 m	56' 1"
PLATFORM HEIGHT	15.1 m	49' 6"
UP AND OVER	6.6 m	21' 8"
HORIZONTAL REACH	8.7 m	28' 7"
STOWED HEIGHT	2.1 m	6' 11"
DEPLOYED WIDTH	4.4 m	14' 5"
PLATFORM SIZE	1.1 x 0.65 m	3' 7" x 2' 2"
WEIGHT	2,750 kg	6,063 lb
LIFTING CAPACITY	200 kg	441 lb

Stowed travel size is 5.6 x 1.6 m (18' 4" x 5' 3")

LL2010

REACH HEIGHT	20.15 m	66' 1"
PLATFORM HEIGHT	18.15 m	59' 7"
UP AND OVER	8.15 m	26' 9"
HORIZONTAL REACH	9.7 m	31' 10"
STOWED HEIGHT	1.99 m	6' 6"
DEPLOYED WIDTH	2.93 m	9' 7"
PLATFORM SIZE	1.34 x 0.69 m	4' 5" x 2' 3"
WEIGHT	2,880 kg	6,349 lb
LIFTING CAPACITY	230 kg	507 lb

Stowed travel size is 5.01 x 0.8 m (16' 5" x 2' 7")

SD210

REACH HEIGHT	21.3 m	69' 11"
PLATFORM HEIGHT	19.3 m	63' 4"
UP AND OVER	7.3 m	23' 11"
HORIZONTAL REACH	12.8 m	42' 0"
STOWED HEIGHT	2.25 m	7' 5"
DEPLOYED WIDTH	4.2 m	13' 9"
PLATFORM SIZE	1.8 x 0.85 m	5' 11" x 2' 9"
WEIGHT	3,950 kg	8,708 lb
LIFTING CAPACITY	225 kg	496 lb

Stowed travel size is 6.15 x 2.05 (20' 2" x 6' 9")

LL2614

REACH HEIGHT	25.7 m	84' 4"
PLATFORM HEIGHT	23.7 m	77' 9"
UP AND OVER	10 m	32' 10"
HORIZONTAL REACH	13.75 m	45' 1"
STOWED HEIGHT	1.98 m	6' 6"
DEPLOYED WIDTH	3.98 m	13' 1"
PLATFORM SIZE	1.48 x 0.69 m	4' 10" x 2' 3"
WEIGHT	4,365 kg	9,623 lb
LIFTING CAPACITY	230 kg	507 lb

Stowed travel size is 6.35 x 0.99 m (20' 10" x 3' 3")



DO YOU NEED TRAINING?



GTA Access is one of the UK's leading approved working at height, IPAF, PASMA and First Aid training providers. Fully accredited courses are run on a daily basis at our 10 GTA training centres. See page 6 for course details and booking information.

REQUEST A FREE SITE SURVEY

Call your local GTA depot today.

Need a harness? Buy online at gtaccess.co.uk



CONTACT US

Visit gtaccess.co.uk for more information on our products and services available or call 0330 333 4848 and speak to one of our working at height experts.

LETS CONNECT



gtaccess.co.uk

NATIONAL COVERAGE, LOCAL SERVICE

GTAccess are not only able to cover your local area, but also your national requirements through our partners within the Access Alliance. So call us no matter where your need is for Powered Access throughout the UK.



BRENTWOOD

Unit 30, Horndon Industrial Park
West Horndon, Brentwood CM13 3XL

01277 321777
bre@gtaccess.co.uk

BRIDGEND

Unit 3 Litchard Industrial Estate
Litchard Lane, Bridgend CF31 2AL

01656 837178
bri@gtaccess.co.uk

BROMSGROVE

19-21 Sherwood Road, Aston Fields
Ind. Est. Bromsgrove, B60 3DR

01527 871123
bro@gtaccess.co.uk

GLOUCESTER

14/14a Hempsted Lane,
Gloucester, GL2 5JA

01452 725903
glo@gtaccess.co.uk

HAILSHAM

Diplocks Way, Diplocks Industrial
Estate, Hailsham, BN27 3JF

01323 846425
hai@gtaccess.co.uk

HEREFORD

Plot 3 Eardisley Sawmills,
Eardisley, Herefordshire, HR3 6NR

01432 359555
her@gtaccess.co.uk

LUTON

Unit 27, Icknield Way Farm, Tring
Road, Dunstable, LU6 2JX

01582 478000
lut@gtaccess.co.uk

NEC

Unit 24, Exhibition Way, National
Exhibition centre, Solihull, B40 1NT

0121 725 2691
nec@gtaccess.co.uk

PETERBOROUGH

Skylift House, Newark Road,
Peterborough PE1 5YD

01733 511112
pet@gtaccess.co.uk

SHREWSBURY

Unit 5 Lancaster Road, Harlescott
Shrewsbury SY1 3LG

01952 897972
shr@gtaccess.co.uk

STOKE ON TRENT

5 Speedwell Road, Parkhouse Ind.
Est., Newcastle Under Lyme ST5 7RG

01782 779214
sto@gtaccess.co.uk

HEAD OFFICE 19-21 Sherwood Rd, Aston Fields Ind. Est., Bromsgrove B60 3DR | 01527 833114 | info@gtaccess.co.uk

